

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ryan Cody on 2/13/2008.

The application has been amended as follows:

Claim 1 line 10, please change "an upper limit" to – the upper limit –.

Allowable Subject Matter

2. Claims 1-5 are allowed.

3. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or suggest, *inter alia*, a voltage conversion device comprising: a control device setting an upper limit value of a duty ratio based on an overvoltage that is applied to the power supply when the electric power returns back to the power supply resulting from a deviation of the output voltage from the target value and providing switching control to the first and the second switching elements using a duty ratio in a range lower than the upper limit value of the duty ratio.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary L. Laxton whose telephone number is (571) 272-2079. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Akm Ullah can be reached on (571) 272-2361. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary L. Laxton/
Primary Examiner
Art Unit 2838

2/15/2008